

PREMIER

Hydraulic Earth Auger Attachments

Product Specifications

PREMIER

⚠ DANGER
AVOID INJURY OR DEATH
STAY 10 FT. (3m) OR MORE
UNLESS OPERATING INSTRUCTIONS

March 2014

www.premierauger.com



There's no better choice



PREMIER has built a solid reputation on the reliability of the earth auger attachments we have engineered and manufactured for over 4 decades in Fort Wayne, Indiana. We offer a complete and comprehensive line of earth auger drive units, auger bits, adapters, extensions, teeth and accessories with availability in virtually any size or model you will ever need. Today, our product lines include a variety of the most popular equipment attachments for both construction and agricultural applications. And still today, we proudly build all of our products in the USA. When you invest in a **PREMIER** attachment, you are investing in a tool that will provide you with years and years of reliable productivity.



PREMIER POWER

Torques for virtually any digging application.

■ Premier Hydraulic Earth Auger Drive Units are designed to utilize the power of the host machine most efficiently, turning it into a high performance drilling machine. Without leaving the vehicle seat, an equipment operator can dig hundreds of holes daily in the toughest digging conditions for fence posts, sign posts, post frame buildings, foundation footings, light and utility poles and many other applications that require vertical or angled holes in the ground.

PREMIER VERSATILITY

Complete line of Drive Units, Auger Bits, Adapters, Extensions, Teeth, and Accessories.

■ Premier Earth Auger Attachments are easily adapted to skid steer loaders, wheel loaders, tractors, mini-skids, backhoes, excavators, forklifts, cranes, digger derricks, mini-digger derricks, and other hydraulic machines.

POWERFUL, VERSATILE AND RELIABLE EARTH AUGER ATTACHMENTS BACKED BY THE BEST

than Premier.

PREMIER SERVICE

Best lead times in the industry.

■ No matter how unique your digging application may be, it's our job to provide the solution when you need it.

PREMIER WARRANTY

We stand behind our quality statement.

■ Premier Auger takes great pride in the quality and reliability of our products. To reassure you that you are buying the best, we offer the best warranties in the industry and stand behind each quality statement.



TABLE OF CONTENTS

HYDRAULIC EARTH AUGER DRIVE UNITS.....	3 - 4
CONSTRUCTION AUGERS	5
TREE AUGERS	5
ROCK AUGERS	6
UTILITY STYLE AUGERS	6
MINI-SKID AUGER DRIVES	7
MINI-SKID CONSTRUCTION AUGERS	7
MOUNTING BRACKETS	8
MOUNTING ADAPTERS.....	8
AUGER EXTENSIONS	9
DRIVE UNIT ADAPTERS	9
SELECTING COMPLETE UNIT	10
HOSES & FITTINGS	10
TEETH & POINTS	10
AUGER COLLARS	10
REPLACEMENT WEAR PARTS	10
ACCESSORIES.....	10

LEAD TIMES AND WARRANTIES IN THE INDUSTRY.

PREMIER 

PLANETARY AUGER DRIVE UNITS

Skid Steer Loaders • Compact Excavators • Tractors • Telehandlers

MEDIUM DUTY

MD06PD	
Max. Auger Diameter15"	
Min. Hydraulic GPM5 gpm	
Max. Hydraulic GPM10 gpm	
Max. Hydraulic PSI3500 psi	
2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
552	2500734
773	3000881
993	35001028
10104	

MD09PD	
Max. Auger Diameter18"	
Min. Hydraulic GPM7 gpm	
Max. Hydraulic GPM14 gpm	
Max. Hydraulic PSI3500 psi	
2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
748	25001123
961	30001347
1175	35001571
1388	

MD12PD	
Max. Auger Diameter24"	
Min. Hydraulic GPM8 gpm	
Max. Hydraulic GPM17 gpm	
Max. Hydraulic PSI3500 psi	
2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
949	25001409
1159	30001691
1371	35001972
1581	

MD14PD	
Max. Auger Diameter30"	
Min. Hydraulic GPM10 gpm	
Max. Hydraulic GPM20 gpm	
Max. Hydraulic PSI3500 psi	
2-9/16" Round or 2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
1250	25001825
1561	30002190
1771	35002555
2083	

MD18PD	
Max. Auger Diameter36"	
Min. Hydraulic GPM15 gpm	
Max. Hydraulic GPM30 gpm	
Max. Hydraulic PSI3500 psi	
2-9/16" Round or 2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
1550	25002290
1860	30002748
2067	35003206
2583	



HEAVY DUTY

H010PD	
Max. Auger Diameter24"	
Min. Hydraulic GPM6 gpm	
Max. Hydraulic GPM15 gpm	
Max. Hydraulic PSI3500 psi	
2-9/16" Round or 2" Hex Output Shaft	
5 Year Warranty	
GPM - RPM	PSI - TORQUE
848	25001274
1060	30001529
1272	35001783
1590	

H015PD	
Max. Auger Diameter30"	
Min. Hydraulic GPM10 gpm	
Max. Hydraulic GPM25 gpm	
Max. Hydraulic PSI3500 psi	
2-9/16" Round or 2" Hex Output Shaft	
5 Year Warranty	
GPM - RPM	PSI - TORQUE
1247	25001975
1558	30002372
1766	35002768
2078	




H019PD	
Max. Auger Diameter36"	
Min. Hydraulic GPM15 gpm	
Max. Hydraulic GPM30 gpm	
Max. Hydraulic PSI3500 psi	
2-9/16" Round or 2" Hex Output Shaft	
5 Year Warranty	
GPM - RPM	PSI - TORQUE
1546	25002481
1856	30002977
2062	35003474
2577	

H024PD	
Max. Auger Diameter36"	
Min. Hydraulic GPM20 gpm	
Max. Hydraulic GPM35 gpm	
Max. Hydraulic PSI3250 psi	
2-9/16" Round or 2" Hex Output Shaft	
5 Year Warranty	
GPM - RPM	PSI - TORQUE
2048	25003184
2458	30003821
2663	32504140
3072	

All Mounting Brackets, Hose Kits and Couplers Listed on Pages 8 - 10

HIGH FLOW AUGER DRIVE UNITS

Backhoes • Articulated Loaders • Tractor Loaders • Integrated Tool Carriers
Telescopic Handlers • Excavators • Boom Cranes • Digger Derricks



H040PD

Max. Auger Diameter48"
Min. Hydraulic GPM20 gpm
Max. Hydraulic GPM45 gpm
Max. Hydraulic PSI.....4500 psi
No Case Drain Line Required
2" Hex or 2-1/2" Hex Output Shaft
5 Year Warranty

GPM - RPM		PSI - TORQUE	
20	53	2500	2861
25	67	3000	3433
30	80	3500	4005
35	94	4000	4578

H045PD

Max. Auger Diameter48"
Min. Hydraulic GPM25 gpm
Max. Hydraulic GPM45 gpm
Max. Hydraulic PSI.....4500 psi
No Case Drain Line Required
2" Hex or 2-1/2" Hex Output Shaft
5 Year Warranty

GPM - RPM		PSI - TORQUE	
25	53	2500	3624
30	63	3000	4349
35	74	3500	5074
40	85	4000	5798

H055PD

Max. Auger Diameter48"
Min. Hydraulic GPM30 gpm
Max. Hydraulic GPM60 gpm
Max. Hydraulic PSI.....4500 psi
No Case Drain Line Required
2" Hex or 2-1/2" Hex Output Shaft
5 Year Warranty

GPM - RPM		PSI - TORQUE	
35	58	2500	4578
40	67	3000	5493
45	75	3500	6409
50	84	4000	7325

H065PD

Max. Auger Diameter48"
Min. Hydraulic GPM30 gpm
Max. Hydraulic GPM60 gpm
Max. Hydraulic PSI.....4500 psi
No Case Drain Line Required
2" Hex or 2-1/2" Hex Output Shaft
3 Year Warranty

GPM - RPM		PSI - TORQUE	
40	54	2500	5722
45	60	3000	6867
50	67	3500	8011
55	74	4000	9156

H075PD

Max. Auger Diameter48"
Min. Hydraulic GPM30 gpm
Max. Hydraulic GPM60 gpm
Max. Hydraulic PSI.....4500 psi
No Case Drain Line Required
2-1/2" Hex Output Shaft
3 Year Warranty

GPM - RPM		PSI - TORQUE	
40	43	3000	8527
45	49	3500	9948
50	54	4000	11,369
60	65	4500	12,790

H085PD

Max. Auger Diameter.....48"
Min. Hydraulic GPM30 gpm
Max. Hydraulic GPM.....60 gpm
Max. Hydraulic PSI3500 psi
No Case Drain Line Required
2-1/2" Hex Output Shaft
3 Year Warranty

GPM - RPM		PSI - TORQUE	
40	54	2500	8957
45	39	3000	10,748
50	43	3500	12,539
60	51		

H095PD

Max. Auger Diameter48"
Min. Hydraulic GPM30 gpm
Max. Hydraulic GPM60 gpm
Max. Hydraulic PSI4500 psi
No Case Drain Line Required
2-1/2" Hex Output Shaft
2 Year Warranty



GPM - RPM		PSI - TORQUE	
45	30	2500	11,213
50	34	3000	13,455
55	37	3500	15,698
60	41	4000	17,941

CONSTRUCTION AUGERS

MEDIUM DUTY SINGLE FLIGHTING

Light to Moderate Ground Conditions

- Fabricated Boring Head
- Hardened Bolt-on Gage Teeth on Outside Positions
- Hardened Bolt-on Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Economical Single Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Length Only



Upgrade and Replacement Parts Available


DIA.	PART#	TOOTH QTY.
04"	A04CDF4SF	0
06"	A06CDF4SF	2
09"	A09CDF4SF	3
12"	A12CDF4SF	4
15"	A15CDF4SF	5
18"	A18CDF4SF	6
24"	A24CDF4SF	8

4' OVERALL LENGTH

MEDIUM DUTY DOUBLE FLIGHTING

Light to Moderate Ground Conditions

- Fabricated Boring Head
- Hardened Bolt-on Gage Teeth on Outside Positions
- Hardened Bolt-on Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Standard Length
- Also Available in 3', 5', and 6' Lengths, Upon Request



Upgrade and Replacement Parts Available

DIA.	PART#	TOOTH QTY.
04"	A04CDF4	0
06"	A06CDF4	2
08"	A08CDF4	2
09"	A09CDF4	3
10"	A10CDF4	3
12"	A12CDF4	4
15"	A15CDF4	5
16"	A16CDF4	5
18"	A18CDF4	6
20"	A20CDF4	6
24"	A24CDF4	8
30"	A30CDF4	9
36"	A36CDF4	11

4' OVERALL LENGTH

HEAVY DUTY DOUBLE FLIGHTING

Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, Fracturable Rock

- Heavy-Duty Cast Steel Boring Head
- Hardened Drive-in Gage Teeth on Outside Positions
- Hardened Drive-in Chisel Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Standard Length
- Also Available in 3', 5', and 6' Lengths, Upon Request




Upgrade and Replacement Parts Available

DIA.	PART#	TOOTH QTY.
06"	A06CDC4	2
08"	A08CDC4	4
09"	A09CDC4	4
10"	A10CDC4	4
12"	A12CDC4	4
15"	A15CDC4	6
16"	A16CDC4	6
18"	A18CDC4	6
20"	A20CDC4	6
24"	A24CDC4	8
30"	A30CDC4	10
36"	A36CDC4	12
42"	A42CDC4	16
48"	A48CDC4	18

4' OVERALL LENGTH

TREE AUGERS

For Tree and Shrub Planting




- Two-Diameter Design
- Fabricated Boring Head
- Hardened Bolt-On Gage Teeth on Outside Positions
- Hardened Bolt-On Wisdom Teeth on Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars

DIA.	PART#	TOOTH QTY.
18"	A18CDT4	7
24"	A24CDT4	10
30"	A30CDT4	11
36"	A36CDT4	13
42"	A42CDT4	15
48"	A48CDT4	17

4' OVERALL LENGTH



Gage Tooth
#00202



Bolt-on
Wisdom
Tooth #00200



Fishtail Point
#00203

ROCK AUGERS

Solid and Fracturable Rock, Compacted Soils, Frozen Ground, Asphalt, Concrete


"CDR" BULLET TOOTH ROCK AUGERS



- Cast Steel Boring Head
- Bullet Style Teeth
- Heavy-Duty Single Fighting
- 3/4" Thick Bottom Flight
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4' Length Standard
- Other Sizes Available Upon Request
- Upgrade and Replacement Parts Listed on Page 10

DIA.	PART#	TOOTH QTY.
06"	A06CDR4	6
09"	A09CDR4	10
12"	A12CDR4	12
16"	A16CDR4	16
18"	A18CDR4	18
20"	A20CDR4	20
24"	A24CDR4	24
30"	A30CDR4	30
36"	A36CDR4	36

4' OVERALL LENGTH




CDR Rock Auger Pilot
1-3/4" Square Shank
00236




CDR Rock Auger
Bullet Tooth
00221



"CRB" ROCK AUGER



- Aggressive Carbide Cutting Head
- Heavy-Duty Single Fighting
- 2" Round, 2-9/16" Round, and 2" Hex Collars
- 4" Diameter Only
- 4' Length Standard
- Other Sizes Available Upon Request
- Upgrade and Replacement Parts Listed on Page 10




CRB
Rock Auger Pilot
#00239

DIA.	PART#	TOOTH QTY.
04"	A04CRB4	0


"UDC" UTILITY STYLE AUGERS

Use on High Torque Drive Unit Models H055PD, H065PD, H075PD, H085PD, H095PD




- Heavy-Duty Cast Steel Boring Head
- Outside Drive-in Gage Teeth
- Standard or Carbide Teeth & Point
- Heavy-Duty 3/8" Thick Flighting
- Extra Heavy-Duty Center Shaft (3-3/4" Tubing x 5/8" Wall)
- 2-1/2" Hex and 2-5/8" Hex Collars
- Optional 3" Hex Collar Available
- Replaceable Shank Plates
- Special Sizes Available Upon Request
- Carbide Upgrades and Replacement Parts Listed on Page 10

DIA.	PART#	TOOTH QTY.
09"	A09UDC9	2
12"	A12UDC9	4
16"	A16UDC9	4
18"	A18UDC9	6
20"	A20UDC9	6
24"	A24UDC9	7
30"	A30UDC9	8
36"	A36UDC9	8
42"	A42UDC9	12
48"	A48UDC9	14



Utility
Gage Tooth
#00214



Utility
Dirt Tooth
#00213



Utility
Fishtail Point
#00217

5' and 9' Standard Lengths Available

MINI-SKID LOADER EARTH AUGER DRIVE

- **High Torque Unit**
- **Comes with Standard Single-Swing Mount**
- **Optional Full-Swivel Mount**
- **Add Hose Kit and Coupler (listed on page 10)**



MS11PD	
Max. Auger Diameter	24"
Min. Hydraulic GPM.....	6 gpm
Max. Hydraulic GPM	12 gpm
Max. Hydraulic PSI.....	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
7.....	45 2500
9.....	58 3000
11.....	71 3500


MS14PD	
Max. Auger Diameter	30"
Min. Hydraulic GPM	10gpm
Max. Hydraulic GPM	20 gpm
Max. Hydraulic PSI.....	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
12.....	50 2500
15.....	61 3000
17.....	71 3500

MS18PD	
Max. Auger Diameter	36"
Min. Hydraulic GPM.....	15 gpm
Max. Hydraulic GPM	25 gpm
Max. Hydraulic PSI.....	3500 psi
2-9/16" Round or 2" Hex Output Shaft	
2 Year Warranty	
GPM - RPM	PSI - TORQUE
15.....	50 2500
18.....	60 3000
20.....	67 3500

MINI-SKID CONSTRUCTION AUGERS

MEDIUM DUTY "CDF" AUGER


- For Light to Medium Ground Conditions
- Fabricated Boring Head
- Hardened Bolt-on Wisdom Teeth - Inside Positions
- Hardened Bolt-on Gage Teeth - Outside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, or 2" Hex Collars
- 42" Overall Length



DIA.	PART#	TOOTH QTY.
04"	A04CDF3	0
06"	A06CDF3	2
08"	A08CDF3	2
09"	A09CDF3	3
10"	A10CDF3	3
12"	A12CDF3	4
15"	A15CDF3	5
16"	A16CDF3	5
18"	A18CDF3	6
20"	A20CDF3	6
24"	A24CDF3	8
30"	A30CDF3	9
36"	A36CDF3	11

HEAVY DUTY "CDC" AUGER

- For Difficult Ground Conditions, Compacted Soils, Heavy Clay, Asphalt, Frozen Ground, Fracturable Rock
- Heavy-Duty Cast Steel Boring Head
- Hardened Drive-in Gage Teeth - Outside Positions
- Hardened Drive-in Chisel Teeth - Inside Positions
- Hardened Fishtail Point
- Heavy-Duty Double Flighting
- 2" Round, 2-9/16" Round, or 2" Hex Collars
- Standard 42" Overall Length
- Also Available in 30" Overall Length



DIA.	PART#	TOOTH QTY.
06"	A06CDC3	2
08"	A08CDC3	4
09"	A09CDC3	4
10"	A10CDC3	4
12"	A12CDC3	4
15"	A15CDC3	6
16"	A16CDC3	6
18"	A18CDC3	6
20"	A20CDC3	6
24"	A24CDC3	8
30"	A30CDC3	10
36"	A36CDC3	12

Upgrade and Replacement Parts Listed on Pg. 10

MOUNTING BRACKETS

Ag Style Equipment

JOHN DEERE 400 / 500 TRACTOR LOADER MOUNT

Available with Off-Set Option

..... Part # SM019

EURO/UNIVERSAL LOADER MOUNT

Available with Off-Set Option

..... Part # SM021

TRACTOR LOADER MOUNTS

Attach to lip of loader bucket or arm.

..... Part # TM001

Construction Equipment (cont.)




UNIVERSAL SKID STEER MOUNT

Part # SM001
SAE J2513



OFF-SET UNIVERSAL SKID STEER MOUNT

Part # SM020



Construction Equipment

BACKHOE, MINI-EXCAVATORS, & EXCAVATOR MOUNTS

- Pin-On Dipper Stick Mounts Available



- Pin Grabber Mounts Available



- Dedicated Quick Coupler Mounts Available

- Custom Mounts Available

- All Mounts Built to be Compatible with All Makes and Models of Equipment



DOWN-PRESSURE MOUNT


Part # SM026

(Additional weights sold separately)

HIGH REACH MOUNT EXTENSION

Hooks up to any Universal Skid Steer Mount for increased digging depth.

Part # SMEX01



Skid Steer Mounts include required hardware and pins to attach to Premier Earth Auger Drives, complete with swivel, knuckle, auger drive, cradle, and connecting pins (greaseable and contained with snap pins).

NOTE: Connection points have machined 4140 alloy hardened bushings.

Contact factory for information on mounting brackets for older model skid steer loaders.

MOUNTING ADAPTERS

HEAVY DUTY WELD-ON ADAPTER

Welds to any implement and mounts on Universal Skid Steer Mount.


- 5/16" steel plate Part # 95009
- 3/8" steel plate Part # 95021



AUGER EXTENSIONS

VARIABLE LENGTH AUGER EXTENSIONS


Variable Length Auger Extensions store inside the tube of augers that are 10" diameter or larger. Extension increments are every six inches on 12" through 24" extensions and every twelve inches on 48" and 72" extensions. Available with 2" and 2-9/16" Round, and 2", 2-1/2" and 2-5/8" Hexagon Collars. Special Extensions are available and priced upon request.



2" Rnd Variable Extension 12" Long	CVE12R200
2" Hex Variable Extension 12" Long	CVE12H200
2-9/16" Variable Extension 12" Long	CVE12R256
2" Rnd Variable Extension 24" Long	CVE24R200
2" Hex Variable Extension 24" Long	CVE24H200
2-9/16" Variable Extension 24" Long	CVE24R256
2" Rnd Variable Extension 48" Long	CVE48R200
2" Hex Variable Extension 48" Long	CVE48H200
2-9/16" Variable Extension 48" Long	CVE48R256
2" Rnd Variable Extension 72" Long	CVE72R200
2" Hex Variable Extension 72" Long	CVE72H200
2-9/16" Variable Extension 72" Long	CVE72R256
2-1/2" Hex Variable Extension 72" Long	UVE72H250
2-5/8" Hex Variable Extension 72" Long	UVE72H262

FIXED LENGTH AUGER EXTENSIONS

Fixed Length Auger Extensions extend the auger's digging depth exactly the length of the extension. Available with 2" and 2-9/16" Round, and 2", 2-1/2" and 2-5/8" Hexagon Collars. Special Extensions are available and priced upon request.



2" Rnd Fixed Extension 12" Long	CFE12R200
2" Hex Fixed Extension 12" Long	CFE12H200
2-9/16" Fixed Extension 12" Long	CFE12R256
2" Rnd Fixed Extension 24" Long	CFE24R200
2" Hex Fixed Extension 24" Long	CFE24H200
2-9/16" Fixed Extension 24" Long	CFE24R256
2" Rnd Fixed Extension 48" Long	CFE48R200
2" Hex Fixed Extension 48" Long	CFE48H200
2-9/16" Fixed Extension 48" Long	CFE48R256
2" Rnd Fixed Extension 72" Long	CFE72R200
2" Hex Fixed Extension 72" Long	CFE72H200
2-9/16" Fixed Extension 72" Long	CFE72R256
2-1/2" Hex Fixed Extension 72" Long	UFE72H250
2-5/8" Hex Fixed Extension 72" Long	UFE72H262

ADAPTERS FOR DRIVE UNITS & AUGERS

2" Hex Female To 2-9/16" Rnd Male Adapter	C200H256R
2" Hex Female To 2" Rnd Male Adapter	C200H200R
2-9/16" Rnd Female To 2" Hex Male Adapter	C256R200H
2-9/16" Rnd Female To 2" Rnd Male Adapter	C256R200R
2" Rnd Female To 2" Hex Male Adapter	C200R200H
2" Rnd Female To 2-9/16" Rnd Male Adapter	C200R256R

Couple Premier Drive Units to competitive augers or Premier Augers to competitive drive units. Determine the drive unit output shaft and collar opening sizes and types (round or hexagon) to select the proper adapter. Special Adapters are available and priced upon request.



ACCESSORIES AND REPLACEMENT WEAR PARTS

When pricing a complete Hydraulic Earth Auger Attachment for your machine, include the following:

- Hydraulic Drive Unit
- Hoses and Fittings
- Mounting Bracket
- Auger
- Optional Auger Upgrades and Accessories
- Spare Replacement Wear Parts

HOSES & FITTINGS

1/2" Hydraulic Hoses 68" Long	#61061
1/2" Hydraulic Hoses 108" Long	#61050
1/2" Hydraulic Hoses 120" Long	#61049
1/2" Female Flat Faced Coupler	#61006
1/2" Male Flat Faced Coupler	#61007
3/4" Hydraulic Hose Kit 108" Long	#61051
3/4" Female Flat Faced Coupler	#61043
3/4" Male Flat Faced Coupler	#61044

AUGER COLLARS

2" Hex Auger Collar	#00102
2-9/16" Round Auger Collar	#00101
2" Round Auger Collar	#00100
2-1/2" Hex Collar	#00103
2-5/8" Hex Collar	#00104

MISCELLANEOUS WEAR PARTS

Knuckle Pin	#91001
Drive Unit Housing	#91000

ACCESSORIES

Weights for Down-Pressure Mounting Bracket, 100 lbs. each	#50202
--	--------

TEETH & POINTS

CONSTRUCTION AUGER TEETH

Wisdom Tooth	#00200
Chisel Tooth	#00201
Wisdom Gage Tooth	#00202
Hardfaced Wisdom Tooth	#00205
Hardfaced Chisel Tooth	#00206
Hardfaced Wisdom Gage Tooth	#00207
Carbide Wisdom Tooth	#00208
Carbide Chisel Tooth	#00209
RB Carbide Wisdom Tooth	#00237
Tooth Pocket for CDC Augers	#00225
Rock Auger Bullet Tooth	#00221
Bullet Tooth Holder	#00223
5/8"-11 Carriage Bolt 1-1/2" Long	#40000
5/8"-11 Lock Nut	#40001

CONSTRUCTION AUGER PILOT POINTS

Fishtail Point	#00203
Hardfaced Fishtail Point	#00210
Carbide Fishtail Point	#00211
4-1/2" Auger Fishtail Point	#00204
Square Drive Lug	#00105
4" Auger Drive Lug	#00106
CDR Rock Auger Pilot , 1-3/4" Square Shank	#00236
CDR Rock Auger Pilot , 2-3/8" API	#00222
CDR Rock Auger Bullet Tooth	#00221
CRB Rock Auger Fishtail Point	#00239

UTILITY AUGER TEETH

Utility Dirt Tooth	#00213
Utility Gage Tooth	#00214
Utility Carbide Dirt Tooth	#00215
Utility Carbide Gage Tooth	#00216

UTILITY AUGER PILOT POINTS

Utility Fishtail Point	#00217
Utility Hardfaced Fishtail Point	#00218
Utility Carbide Fishtail Point	#00219
Utility Drive Lug	#00220
Utility Pilot Adapter	#00224



Eastern Farm Machinery Ltd. □
RR3, 10 Nicholas Beaver Rd. □
Guelph, ON. N1H 6H9 □
Tel 5197632400, Fax 5197633930 □
sales@easternfarmmachinery.com