



TRACTOR 3PT. CORDWOOD BUZZ SAW

Italian made quality heavy duty commercial buzz saw.

SC-saws are the most effective tool to saw wood. Speed is important when you have a lot of work to do and the SC saws will enable you to saw quickly and safely. The tungsten tipped blade cuts quickly and efficiently and is driven by a triple belt drive



Cat. I three point hitch or 6hp gas

Suitable for tractors 18 to 80HP

Removable in feed log holder

Weight 297 lbs. 396lbs. with engine, 440 lbs. on trailer

Blade diameter 700mm










Saw with 4m conveyor



Complete processor. Saw, 10 ton Splitter w/adjustable 2or4 split wedge, 750mm blade, 4m Conveyor. Requires 35hp tractor

Homeowner Processor Features



	 TON		 KG	 Ø	 cm	 HP
SC 600 EM Electric single phase	/	/	170	25	125X76X110	3
SC 700 ET Electric three phase	/	/	190	30	125X76X110	5.5
SC 700 C PTO	/	/	155	30	125X78X125	25
SC 700 SB petrol engine	/	/	200	30	125x78X145	6
SC 750 ET Electric three phase	/	/	190	32.5	125X76X110	5.5
SC 750 C PTO	/	/	155	32.5	125X78X125	25
SC 750 SB petrol engine	/	/	200	32.5	125x78X145	6
XC 608 EM Electric single phase	8	/	340	25 - 8 Ton.	/	3
XC 708 ET Electric three phase	8	/	360	30 - 8 Ton.	/	5.5
DI 600 EM Electric single phase	/	/	108	20	80x85x115	3
DI 700 C PTO	/	/	110	27	85x65x115	20
SC 700 CNT 4 4 meters conveyor	/	4m/25cm	365	30	280X120X120	25
SC 700 CNT 5 5 meters conveyor	/	5m/25cm	380	30	300X120X120	25
SC 750 CNT 4 4 meters conveyor	/	4m/25cm	365	32.5	280X120X120	25
SC 750 CNT 5 5 meters conveyor	/	5m/25cm	380	32.5	300X120X120	25



GraphArt - Manna



CIRCULAR SAW BENCHES



Eastern Farm Machinery Ltd. □
10 Nicholas Beaver Rd. □
Guelph, Ontario, Canada, N1H 6H9 □
Tel. 5197632400, Fax 5197633930 □
sales@easternfarmmachinery.com



Balfor circular saws are designed for high production but with total safety in mind.

All saws have a diamond WIDIAM blade for exceptionally long life as well as wheels for easy transport, adjustable rod to measure the cut, and adjustable log support for longer lengths. The 'SC' professional versions the log holder is fitted with two steel rollers on bearings making it easy to feed the timber.

Tractor PTO saws have a cast iron gearbox with hardened gears, while the electric motor versions have an automatic brake. The blade spindly is supported by heavy duty bearings and is belt driven from the power source.

All components including the motors are of highest quality and made in Italy.

All Balfor circular saws eject the sawdust downwards to keep it away from the operator, even in windy conditions.

They are available in electric, tractor PTO or petrol versions (with a centrifugal clutch for starting the motor with blade stopped)

All products Balfor are powder coated for a better finish and greater durability.

Eastern Farm Machinery Ltd. □

10 Nicholas Beaver Rd. □

Guelph, Ontario, Canada, N1H 6H9 □

Tel. 5197632400, Fax 5197633930 □

sales@easternfarmmachinery.com

DI700 C


'DI' series saws are economic, practical and safe with a high specification as standard, ideal for heavy domestic use.



WIDIAM tipped blade for exceptionally long service life.



Cast iron gearbox with hardened gears.



Double pump.



Italian built motor with auto brake.

XC 608

Professional saws 'SC', in addition to the standard equipment, are equipped with 3 reinforced belts and a solid machined steel blade shaft mounted in self centering greaseable bearings for a long and trouble-free lifespan.


SC700 C

The bench is equipped with three steel rollers and a gripping aluminum plate to prevent logs from rolling while cutting, but still allowing easy feeding for the next cut.



Rocking bench, with rollers for easy timber feeding and grip to avoid logs rolling while cutting.



Blade nut spanner.



Modular conveyor belt with metal paddles.



Drive motor mounted at the top of the conveyor for better grip on the belt

SC700 CNT

Circular saws SC NTI are equipped with telescopic conveyor belt for loading timber directly into a stack or trailer saving time and money. The conveyor can be operated from the hydraulics outlets of the tractor, or the PTO of the tractor (optional). The conveyor belt is modular with metal paddles made in galvanized steel, for long life but easy repair, and is also fitted with adjustment and guides to ensure it runs straight and true to avoid unnecessary wear.

