





Vipermetal screening buckets are innovative and professionally developed. All products are designed and manufactured in Finland using only the best quality components.



LIGHT WEIGHT



WIDE RANGE OF ROTORS



EASY AND QUICK TO USE



IDEAL FOR BOTH EXCAVATORS
AND WHEEL LOADERS



WIDE RANGE OF PRODUCTS



COST EFFECTIVE

TOP SOIL













| | MODEL | Excavator | Wheel- loader | Min - max l / min | BAR | ISO/SAE m3 | Screen area m2 | Weight (kg) |
|--------------|------------|-----------|------------------|----------------------|-----|---------------|-------------------|---------------------------------|
| CONTRACTORS: | VPH 2-1500 | 8-10 | 4-7 | 40-70 | 200 | 0,6/0,7 | 0,6 | 690 |
| X | VPH 3-1500 | 10-14 | 7-10 | 40-70 | 200 | 0,7/0,8 | 1,0 | 980 |
| | VPH 4-1500 | 14-21 | 9-15 | 90-130 | 200 | 1,1/1,2 | 1,3 | 1350 |
| | VPH 3-1700 | 22-25 | 12-16 | 110-180 | 200 | 2,0/2,2 | 1,4 | 2100 |
| 0.83 | VPH 4-1700 | 25-32 | 14-20 | 110-180 | 200 | 2,7/3,0 | 1,6 | 2750 |
| | VPH 3-2300 | 28-35 | 18-25 | 130-200 | 220 | 3,0/3,4 | 2,0 | 2750 |
| | VPH 4-2300 | 35-45 | 21-30 | 130-200 | 220 | 3,9/4,5 | 2,4 | 3200 |
| 197 | | | | | | | | |
| | VPV 4-1100 | 14-22 | | 90-130 | 200 | 1,0/1,2 | 0,9 | 1350 |
| | VPV 5-1350 | 20-24 | 12-16 | 110-180 | 200 | 1,3/1,5 | 1,2 | 1650 |
| | | | | | | | | Manager of the same of the same |

